

# Faecal Immunochemical Test

## Bowel Cancer screening – opening up to the under 50s

**Cambridge Clinical Laboratories (CCL) is opening up the availability of the FIT test (Faecal Immunochemical Test) to all.**

### How it works

---

The FIT analyses a stool sample to identify possible signs of bowel cancer, such as blood in the stool. Patients with a positive FIT result can be referred for further investigation. The earlier bowel cancer is found the more effective treatments will be, and more curable the cancer.

### How it helps

---

Bowel cancer is the fourth most common cancer in the UK and the second biggest cancer killer. Nearly 43,000 people are diagnosed with bowel cancer every year in the UK. The FIT test is currently used by the NHS in over 50's to screen for bowel cancer. However more than 2,600 people under 50 are diagnosed each year in the UK.\* These individuals will be missed by the screening programme and therefore diagnosis won't come until they develop symptoms and go through the NHS pathway for diagnosis. This test reaches those people. Bowel cancer is treatable and curable especially if diagnosed early. Nearly everyone survives bowel cancer if diagnosed at the earliest stage. However, this drops significantly as the disease develops. Early diagnosis saves lives.\* Let CCL help you, to help them.

### Accessing FIT via CCL

---

Healthcare professionals should please contact CCL. Patients should please refer your healthcare professional to CCL – either this leaflet or our website – and ask them to get in touch. Please note that Cambridge Clinical Laboratories HCP services are only available through a professional healthcare provider.

# Bowel Cancer in the UK

---

- Bowel cancer is the fourth most common cancer in the UK and the second biggest cancer killer
- Nearly 43,000 people are diagnosed with bowel cancer every year in the UK
- Most people with bowel cancer are diagnosed when they are over the age of 50. But more than 2,600 people under 50 are diagnosed each year in the UK
- Bowel cancer is treatable and curable especially if diagnosed early. Nearly everyone survives bowel cancer if diagnosed at the earliest stage. However, this drops significantly as the disease develops. Early diagnosis really does save lives
- More than 16,500 people die from bowel cancer in the UK every year. It is the second biggest cancer killer in the UK.\*

---

## About CCL

Cambridge Clinical Laboratories offers personalised medicine options, quality service, and introduces new novel technologies and assays to help UK healthcare. From our UKAS accredited facilities, in the heart of scientific development, Cambridge, UK, CCL provides healthcare professionals worldwide with the most advanced oncology and virology testing services.

## Contact CCL

Cambridge Clinical Laboratories


Global Sales Manager


Pam Trickett

E: [Pamela.Trickett@camclinlabs.co.uk](mailto:Pamela.Trickett@camclinlabs.co.uk)

---

[www.camclinlabs.co.uk](http://www.camclinlabs.co.uk) | 01223 395450

 [@camclinlabs](https://twitter.com/camclinlabs)

 [@CambridgeClinicalLaboratories](https://www.linkedin.com/company/CambridgeClinicalLaboratories)

---

Sources: \*Bowel Cancer UK  
Autumn 2022

